

Eaton TR274V

Catalog Number: TR274V

Eaton commercial grade combination switch, tamp resist, auto-gmd, neon pilot, Stand, #14 - #12 AWG, 15A, Commer, 120V switch, 125V recept, bk and sd wiring, togg, Maint closure, Screw, Brass, Ivy, 5-15R, -20-60°C, dplx, thermoplas, PVC

General specifications

Product Name	Catalog Number
Eaton commercial grade combination switch	TR274V
	UPC
	032664750250
Product Length/Depth	Product Height
1.3 in	4.19 in
Product Width	Product Weight
1.08 in	.242 lb
Compliances	Certifications
RoHS Compliant	NOM
	cULus Listed



Product specifications

Special features

Tamper resistant, auto-ground

Connector type

Screw

Switch type

Single-pole

Configuration

Receptacle

Toggle switch

Closure type

Maintained

Color

Ivory

Wiring method

Back and side

Material

PVC

Thermoplastic

Mounting method

Flush

Allowable wire size

#14-12 AWG

Amperage Rating

15 A

Number Of Poles

Single-pole

Contact type

Brass

Type

Standard

NEMA configuration

5-15R

Device grade

Commercial

Style type

Resources

Specifications and datasheets

[Eaton Specification Sheet - TR274V](#)

[Combination devices instruction sheet](#)

Duplex

NEMA Rating

5-15R

Illumination

Neon pilot

Operating temperature

-20 to 60 °C

Voltage rating

120V switch, 125V receptacle

Application

Commercial

Torque rating

12-14 lbf-inch

Actuator

Toggle



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)